

Notice of Allowability	Application No.	Applicant(s)
	09/648,655	BIERENBAUM, STEVEN E.
	Examiner Mary Cheung	Art Unit 3621

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to RCE received on June 21, 2004.

2. The allowed claim(s) is/are 1-28.

3. The drawings filed on 25 August 2000 are accepted by the Examiner.

4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some* c) None of the:

1. Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No. _____.

3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached

1) hereto or 2) to Paper No./Mail Date _____.

(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)	5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	6. <input type="checkbox"/> Interview Summary (PTO-413), Paper No./Mail Date _____.
3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 6/7/04	7. <input type="checkbox"/> Examiner's Amendment/Comment
4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance
	9. <input type="checkbox"/> Other _____.

Allowable Subject Matter

1. Claims 1-28 are pending and all the pending claims are allowed.
2. The following is an examiner's statement of reasons for allowance:

The closest prior art of Malone et al. (U. S. Patent 5,900,870) teaches object-oriented computer user interface for graphically representing and displaying user-definable objects of multiple types.

In regarding to independent claims 1, 13 and 21, Malone taken either individually or in combination with other prior art of record fails to teach or suggest displaying a first channel template on a display screen, wherein the first channel template represents a first channel, wherein the first channel represents a means for transmitting data to and from the external computer system, and wherein the first channel is configured for transmitting data between the financial service organization computer system and the external computer system that stores the financial service organization data; specifying a first translator on the first channel template wherein the first translator is configured to convert the first outbound message template to a format recognizable to the external computer system; and storing the first channel template in the database after the first translator is specified on the first channel template.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The article titled "The World Bank's Open Network" by Steyer (Datamation, v36, n4, p103 (3), February 15, 1990, ISSN: 1062-8363) discloses the world bank has created a multivendor computer network environment.

Inquire

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Cheung whose telephone number is (703)-305-0084. The examiner can normally be reached on Monday – Thursday from 8:00 AM to 5:30 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Trammell, can be reached on (703) 305-9768.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

The fax phone number for the organization where this application or proceedings is assigned are as follows:

(703) 872-9306 (Official Communications; including After Final
Communications labeled "BOX AF")

(703) 746-5619 (Draft Communications)

Hand delivered responses should be brought to Crystal Plaza Two, Room 1B03.

Mary Cheung
Patent Examiner
Art Unit 3621
September 2, 2004

JAMES P. TRAMMELL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600